All the Special Ironing tables can be mounted either on a FLEX base or on a PERFECT base. They are both sturdy and ergonomically constructed for the best possible finishing results while simultaneously provide to the operator relaxing working conditions and, therefore increase the productivity.





FLEX Base

Dimension of Base: 40 x 40 cm x adjustable height.

Adjustable Height: 75-91cm with screws so that the operator can adjust it at 4 different levels.

Chimney: 125 cm with a lever for adjusting the suction. The high chimney prevents the air and noise from distracting the operator.

Pedal: double kicker plate placed at an ergonomic position on the base of the machine.

PERFECT Base

Dimension of Base: 40 x 49 cm x adjustable height.

Adjustable Height: 82-97cm with stabilizer that can be adjusted at recommended level with height indicator so that each user can set their preferred height within a few seconds.

Chimney: 125 cm with a lever for adjusting the suction and a 0-100% indicator. The high chimney prevents the air and noise from distracting the operator.

Pedal: adjustable double kicker plate to suit the operator's preference.

Electrical Panel Board: placed on the chimney for easier access and service.



PFL

Lining ironing table with heating and adjustable suction & blowing.

For ironing the lining of garments. Suitable for garment industries.

Comes with: standard FHLN-S Ø120mm buck, ATB Swivel bow, chimney, silicone iron rest pad, kicker plate, wheels for easy drive, and side stand with F15 shoulder buck Ø85mm.

It can be accommodated different bucks.


Extra accessories: 1. Water spraying system, 2. Steam iron, 3. Different bucks Ø120mm and Ø85mm,


For optimal ironing results, we suggest using STL 1400 or STLE 1400 type dry iron.

Available with PERFECT base & FLEX base

Heating power:.....0.8kW Suction Power:.....0.55kW

Power supply:......400V-3ph/N/PE-50Hz or 230V-1ph-50Hz







450

Model	Code	Description	Volt	Suction	Blowing	Heating KW
FLEX - FL	102-29-003	Ironing board with heating and suction	400	Yes	No	800
FLEX - FL	102-29-007	Ironing board with heating and suction	230	Yes	No	800
FLEX - FL/S+B	102-29-002	Ironing board with heating suction and blowing.	400	Yes	Yes	800
FLEX - FL/S+B	102-29-012	Ironing board with heating suction and blowing.	230	Yes	Yes	800
PERFECT - PFL	102-06-014	Ironing board with heating and suction	400	Yes	No	800
PERFECT - PFL	102-06-004	Ironing board with heating and suction	230	Yes	No	800
PERFECT - PFL/S+B	102-06-002	Ironing board with heating suction and blowing.	400	Yes	Yes	800
PERFECT - PFL/S+B	102-06-005	Ironing board with heating suction and blowing.	230	Yes	Yes	800

*Option voltage with extra charge	Volt		
For all models	220V III 60Hz (Three phase without neutral)		


PRIMULA"..


FHLN-S

Special hollow-shaped buck for jacket lining \emptyset 120mm. Heating power 800W.

CODE:.....104-23-001









FHLN-L


Special hollow-shaped buck for coat lining \emptyset 120mm.

Heating power 1000W.

CODE:.....104-23-003










F15

Shoulder buck Ø 85mm.

CODE:.....104-15-000







Extra accessories for Ironing Tables PFL

No	Model	Code	Description	
1	PFL/SP-S 102-06-011 Complete distilled water spraying system with spraying gun			
1	PFL/SP-N	102-06-011-1	Distilled water spraying system with out spraying gun	
	PFL/TWR	102-06-012	Side supporting stand for shoulder buck mounting	