

All the Special Ironing tables can be mounted either on a FLEX base or on a PERFECT base. They are both sturdy and ergonomically constructed for the best possible finishing results while simultaneously provide to the operator relaxing working conditions and, therefore increase the productivity.



## FLEX Base

**Dimension of Base:** 40 x 40 cm x adjustable height.

**Adjustable Height:** 75-91cm with screws so that the operator can adjust it at 4 different levels.

**Chimney:** 125 cm with a lever for adjusting the suction. The high chimney prevents the air and noise from distracting the operator.

**Pedal:** double kicker plate placed at an ergonomic position on the base of the machine.



## PERFECT Base

**Dimension of Base:** 40 x 49 cm x adjustable height.

**Adjustable Height:** 82-97cm with stabilizer that can be adjusted at recommended level with height indicator so that each user can set their preferred height within a few seconds.

**Chimney:** 125 cm with a lever for adjusting the suction and a 0-100% indicator. The high chimney prevents the air and noise from distracting the operator.

**Pedal:** adjustable double kicker plate to suit the operator's preference.

**Electrical Panel Board:** placed on the chimney for easier access and service.

# PFS

## Finishing table with heating and adjustable suction & blowing.

For eliminating shines and marks from the ready-made garments that occur when ironing. Suitable for garment industries.

**Comes with:** standard FS-S Ø120mm buck, iron rest and silicone iron pad, ATB Swivel bow, chimney and wheels for easy drive.

It can be accommodated different bucks.

**Extra accessories:** telescopic swivel tube for the support of hanger, steam iron, different bucks Ø120mm, BS base and K/6/2 condenser, swivel arm with different bucks Ø85mm.

For optimal ironing results, we suggest using ILE 1800 or IT 1800 type steam iron.

### Available with PERFECT base & FLEX base

Heating power:.....0.4kW

Suction Power:.....0.55kW


Power supply:.....400V-3ph/N/PE-50Hz or 230V-1ph-50Hz






PERFECT – PFS



Front Swivel arm



Rear Swivel arm



Model	Code	Description	Volt	Suction	Blowing	Heating W
FLEX - FS	102-28-015	Ironing board with heating suction	400	Yes	No	400
FLEX - FS	102-28-014	Ironing board with heating suction	230	Yes	No	400
FLEX - FS/S+B	102-28-001	Ironing board with heating suction and blowing.	400	Yes	Yes	400
FLEX - FS/S+B	102-28-006	Ironing board with heating suction and blowing.	230	Yes	Yes	400
PERFECT - PFS	102-05-001	Ironing board with heating suction	400	Yes	No	400
PERFECT - PFS	102-05-005	Ironing board with heating suction	230	Yes	No	400
PERFECT - PFS/S+B	102-05-000	Ironing board with heating suction and blowing.	400	Yes	Yes	400
PERFECT - PFS/S+B	102-05-020	Ironing board with heating suction and blowing.	230	Yes	Yes	400

\*Option voltage with extra charge

For all models



Volt

220V III 60Hz (Three phase without neutral)

## FS-S

Heated Universal buck for jackets and blouses Ø120mm. Heating power 400W.



Code.....104-22-002



## FS-L

Heated Universal buck for long jackets, coats etc. Ø120mm. Heating power 400W.

Code..... 104-22-000



### Extra accessories for Ironing Tables PFS

No	Model	Code	Description
1	<b>PFS/TSP</b>	102-05-011	Telescoping swivel tube support for hanger
2	<b>PFS/AMCR-B</b>	102-05-010	Rear Swivel arm Ø85mm with supporting corner for extra buck Ø85
3	<b>PFS/AMCR-F</b>	102-05-009	Front Swivel arm Ø85mm with supporting corner for extra buck Ø85
	<b>PFS/VS</b>	102-05-012	Vario system for steam irons (Selection of gantries according to the steam iron type)
	<b>PFS/LT</b>	102-05-013	Lighting System 36W (only with vario system)
	<b>GS</b>	107-02-000	Iron Gantry for L1700, ST1700 and ECO 1700 steam irons
	<b>GSV 1800L</b>	107-02-001	Iron Gantry for IT-1800L & ILE 1800L steam irons
	<b>GSV 1800S</b>	107-17-000	Iron Gantry for IT-1800S & ILE 1800S steam irons